

Declaration of Conformity
in accordance with Machinery Directive 2006/42/EC (Appendix II A)

UK Declaration of Conformity
in accordance with Supply of Machinery (Safety) Regulations 2008
also valid as Certificate of compliance in accordance to (BS) EN 10204 - 2.1

We, hereby declare, that the design, construction and commercialized execution of the below mentioned machine complies with the essential health and safety requirements of the EC Machinery Directive and the UK Supply of Machinery (Safety) Regulations. The validity of this declaration will cease in case of any modification or supplement not being agreed with us previously. Furthermore, validity of this declaration will cease in cases where the machine is operated incorrectly and not in accordance with the operating instructions and/or not inspected regularly and maintained in accordance with the manufacturers instructions.

Sales order number:	1063166
Certificate number:	81530088S24010015
Product:	YALE-VSIII
Product description:	VSIII 0,25/1
Model:	VSIII 0,25/1
Serial number:	S24010015
Load chain size:	4 x 12mm
Chain grade:	T
W.L.L.:	250kg
Proof load factor:	150%
Height of lift:	3.0m
Relevant EC Directives:	EC Machinery Directive 2006/42/EC
Relevant UK Directives:	Supply of Machinery (Safety) Regulations 2008

Transposed harmonized standards in particular:	(BS) EN ISO 12100:2010 General principles for design- Risk assessment and risk reduction (BS) EN 13157:2004+A1:2009 Cranes - Safety - Hand powered cranes (BS) EN 818-7:2002+A1:2008 Short link chain for lifting purposes - Safety - Part 7: Fine tolerance hoist chain, Grade T (Types T, DAT and DT) (BS) ISO 13854:2019 Safety of machinery- Minimum gaps to avoid crushing of parts of the human body
---	--

Transposed (either complete or in extracts) national standards and technical specifications in particular:	DIN 685-5:2020-08 Round steel link chains, components and accessories - Part 5: Utilization of chain slings and hoist chains
---	--

Quality Assurance:	(BS) EN ISO 9001:2015 Quality management systems - Requirements (ISO 9001:2015)
---------------------------	---

Authorised representative for technical data (within EU):	COLUMBUS McKINNON Industrial Products GmbH Yale-Allee 30; D-42329 Wuppertal
--	--

Authorised representative for technical data (within UK):	Columbus McKinnon Corporation Limited Knutsford Way, Sealand Industrial Estate, Chester CH1 4NZ United Kingdom
--	---

Signature:
Identification of the signee:
Date:



Andreas Oelmann - Quality Manager
21.03.2025



Declaration of Conformity
in accordance with Machinery Directive 2006/42/EC (Appendix II A)

UK Declaration of Conformity
in accordance with Supply of Machinery (Safety) Regulations 2008
also valid as Certificate of compliance in accordance to (BS) EN 10204 - 2.1

We, hereby declare, that the design, construction and commercialized execution of the below mentioned machine complies with the essential health and safety requirements of the EC Machinery Directive and the UK Supply of Machinery (Safety) Regulations. The validity of this declaration will cease in case of any modification or supplement not being agreed with us previously. Furthermore, validity of this declaration will cease in cases where the machine is operated incorrectly and not in accordance with the operating instructions and/or not inspected regularly and maintained in accordance with the manufacturers instructions.

Sales order number:	1063166
Certificate number:	81530088S24010086
Product:	YALE-VSIII
Product description:	VSIII 0,25/1
Model:	VSIII 0,25/1
Serial number:	S24010086
Load chain size:	4 x 12mm
Chain grade:	T
W.L.L.:	250kg
Proof load factor:	150%
Height of lift:	3.0m
Relevant EC Directives:	EC Machinery Directive 2006/42/EC
Relevant UK Directives:	Supply of Machinery (Safety) Regulations 2008
Transposed harmonized standards in particular:	(BS) EN ISO 12100:2010 General principles for design- Risk assessment and risk reduction (BS) EN 13157:2004+A1:2009 Cranes - Safety - Hand powered cranes (BS) EN 818-7:2002+A1:2008 Short link chain for lifting purposes - Safety - Part 7: Fine tolerance hoist chain, Grade T (Types T, DAT and DT) (BS) ISO 13854:2019 Safety of machinery- Minimum gaps to avoid crushing of parts of the human body
Transposed (either complete or in extracts) national standards and technical specifications in particular:	DIN 685-5:2020-08 Round steel link chains, components and accessories - Part 5: Utilization of chain slings and hoist chains
Quality Assurance:	(BS) EN ISO 9001:2015 Quality management systems - Requirements (ISO 9001:2015)
Authorised representative for technical data (within EU):	COLUMBUS McKINNON Industrial Products GmbH Yale-Allee 30; D-42329 Wuppertal
Authorised representative for technical data (within UK):	Columbus McKinnon Corporation Limited Knutsford Way, Sealand Industrial Estate, Chester CH1 4NZ United Kingdom

Signature:
Identification of the signee:
Date:



Andreas Oelmann - Quality Manager
21.03.2025

CE UK
CA

Declaration of Conformity
in accordance with Machinery Directive 2006/42/EC (Appendix II A)

UK Declaration of Conformity
in accordance with Supply of Machinery (Safety) Regulations 2008
also valid as Certificate of compliance in accordance to (BS) EN 10204 - 2.1

We, hereby declare, that the design, construction and commercialized execution of the below mentioned machine complies with the essential health and safety requirements of the EC Machinery Directive and the UK Supply of Machinery (Safety) Regulations. The validity of this declaration will cease in case of any modification or supplement not being agreed with us previously. Furthermore, validity of this declaration will cease in cases where the machine is operated incorrectly and not in accordance with the operating instructions and/or not inspected regularly and maintained in accordance with the manufacturers instructions.

Sales order number:	1063166
Certificate number:	81530088S24010098
Product:	YALE-VSIII
Product description:	VSIII 0,25/1
Model:	VSIII 0,25/1
Serial number:	S24010098
Load chain size:	4 x 12mm
Chain grade:	T
W.L.L.:	250kg
Proof load factor:	150%
Height of lift:	3.0m
Relevant EC Directives:	EC Machinery Directive 2006/42/EC
Relevant UK Directives:	Supply of Machinery (Safety) Regulations 2008

Transposed harmonized standards in particular:

(BS) EN ISO 12100:2010 General principles for design- Risk assessment and risk reduction
(BS) EN 13157:2004+A1:2009 Cranes - Safety - Hand powered cranes
(BS) EN 818-7:2002+A1:2008 Short link chain for lifting purposes - Safety
- Part 7: Fine tolerance hoist chain, Grade T (Types T, DAT and DT)
(BS) ISO 13854:2019 Safety of machinery- Minimum gaps to avoid crushing of parts of the human body

Transposed (either complete or in extracts) national standards and technical specifications in particular:

DIN 685-5:2020-08 Round steel link chains, components and accessories - Part 5: Utilization of chain slings and hoist chains

Quality Assurance:

(BS) EN ISO 9001:2015 Quality management systems - Requirements (ISO 9001:2015)

Authorised representative for technical data (within EU):

COLUMBUS McKINNON Industrial Products GmbH
Yale-Allee 30; D-42329 Wuppertal

Authorised representative for technical data (within UK):

Columbus McKinnon Corporation Limited
Knutsford Way, Sealand Industrial Estate, Chester CH1 4NZ United Kingdom

Signature:
Identification of the signee:
Date:



Andreas Oelmann - Quality Manager
21.03.2025



Declaration of Conformity
in accordance with Machinery Directive 2006/42/EC (Appendix II A)

UK Declaration of Conformity
in accordance with Supply of Machinery (Safety) Regulations 2008
also valid as Certificate of compliance in accordance to (BS) EN 10204 - 2.1

We, hereby declare, that the design, construction and commercialized execution of the below mentioned machine complies with the essential health and safety requirements of the EC Machinery Directive and the UK Supply of Machinery (Safety) Regulations. The validity of this declaration will cease in case of any modification or supplement not being agreed with us previously. Furthermore, validity of this declaration will cease in cases where the machine is operated incorrectly and not in accordance with the operating instructions and/or not inspected regularly and maintained in accordance with the manufacturers instructions.

Sales order number:	1063166
Certificate number:	81530088S24021017
Product:	YALE-VSIII
Product description:	VSIII 0,25/1
Model:	VSIII 0,25/1
Serial number:	S24021017
Load chain size:	4 x 12mm
Chain grade:	T
W.L.L.:	250kg
Proof load factor:	150%
Height of lift:	3.0m
Relevant EC Directives:	EC Machinery Directive 2006/42/EC
Relevant UK Directives:	Supply of Machinery (Safety) Regulations 2008

Transposed harmonized standards in particular:

(BS) EN ISO 12100:2010 General principles for design- Risk assessment and risk reduction
(BS) EN 13157:2004+A1:2009 Cranes - Safety - Hand powered cranes
(BS) EN 818-7:2002+A1:2008 Short link chain for lifting purposes - Safety
- Part 7: Fine tolerance hoist chain, Grade T (Types T, DAT and DT)
(BS) ISO 13854:2019 Safety of machinery- Minimum gaps to avoid crushing of parts of the human body

Transposed (either complete or in extracts) national standards and technical specifications in particular:

DIN 685-5:2020-08 Round steel link chains, components and accessories - Part 5: Utilization of chain slings and hoist chains

Quality Assurance:

(BS) EN ISO 9001:2015 Quality management systems - Requirements (ISO 9001:2015)

Authorised representative for technical data (within EU):

COLUMBUS MCKINNON Industrial Products GmbH
Yale-Allee 30; D-42329 Wuppertal

Authorised representative for technical data (within UK):

Columbus McKinnon Corporation Limited
Knutsford Way, Sealand Industrial Estate, Chester CH1 4NZ United Kingdom

Signature:
Identification of the signee:
Date:



Andreas Oelmann - Quality Manager
21.03.2025



Declaration of Conformity
in accordance with Machinery Directive 2006/42/EC (Appendix II A)

UK Declaration of Conformity
in accordance with Supply of Machinery (Safety) Regulations 2008
also valid as Certificate of compliance in accordance to (BS) EN 10204 - 2.1

We, hereby declare, that the design, construction and commercialized execution of the below mentioned machine complies with the essential health and safety requirements of the EC Machinery Directive and the UK Supply of Machinery (Safety) Regulations. The validity of this declaration will cease in case of any modification or supplement not being agreed with us previously. Furthermore, validity of this declaration will cease in cases where the machine is operated incorrectly and not in accordance with the operating instructions and/or not inspected regularly and maintained in accordance with the manufacturers instructions.

Sales order number:	1063166
Certificate number:	81530088S24102552
Product:	YALE-VSIII
Product description:	VSIII 0,25/1
Model:	VSIII 0,25/1
Serial number:	S24102552
Load chain size:	4 x 12mm
Chain grade:	T
W.L.L.:	250kg
Proof load factor:	150%
Height of lift:	3.0m
Relevant EC Directives:	EC Machinery Directive 2006/42/EC
Relevant UK Directives:	Supply of Machinery (Safety) Regulations 2008

Transposed harmonized standards in particular:

(BS) EN ISO 12100:2010 General principles for design- Risk assessment and risk reduction
(BS) EN 13157:2004+A1:2009 Cranes - Safety - Hand powered cranes
(BS) EN 818-7:2002+A1:2008 Short link chain for lifting purposes - Safety
- Part 7: Fine tolerance hoist chain, Grade T (Types T, DAT and DT)
(BS) ISO 13854:2019 Safety of machinery- Minimum gaps to avoid crushing of parts of the human body

Transposed (either complete or in extracts) national standards and technical specifications in particular:

DIN 685-5:2020-08 Round steel link chains, components and accessories - Part 5: Utilization of chain slings and hoist chains

Quality Assurance:

(BS) EN ISO 9001:2015 Quality management systems - Requirements (ISO 9001:2015)

Authorised representative for technical data (within EU):

COLUMBUS McKINNON Industrial Products GmbH
Yale-Allee 30; D-42329 Wuppertal

Authorised representative for technical data (within UK):

Columbus McKinnon Corporation Limited
Knutsford Way, Sealand Industrial Estate, Chester CH1 4NZ United Kingdom

Signature:
Identification of the signee:
Date:



Andreas Oelmann - Quality Manager
21.03.2025

CE UK
CA

Declaration of Conformity
in accordance with Machinery Directive 2006/42/EC (Appendix II A)

UK Declaration of Conformity
in accordance with Supply of Machinery (Safety) Regulations 2008
also valid as Certificate of compliance in accordance to (BS) EN 10204 - 2.1

We, hereby declare, that the design, construction and commercialized execution of the below mentioned machine complies with the essential health and safety requirements of the EC Machinery Directive and the UK Supply of Machinery (Safety) Regulations. The validity of this declaration will cease in case of any modification or supplement not being agreed with us previously. Furthermore, validity of this declaration will cease in cases where the machine is operated incorrectly and not in accordance with the operating instructions and/or not inspected regularly and maintained in accordance with the manufacturers instructions.

Sales order number:	1063166
Certificate number:	81530088S24102560
Product:	YALE-VSIII
Product description:	VSIII 0,25/1
Model:	VSIII 0,25/1
Serial number:	S24102560
Load chain size:	4 x 12mm
Chain grade:	T
W.L.L.:	250kg
Proof load factor:	150%
Height of lift:	3.0m
Relevant EC Directives:	EC Machinery Directive 2006/42/EC
Relevant UK Directives:	Supply of Machinery (Safety) Regulations 2008

Transposed harmonized standards in particular:

(BS) EN ISO 12100:2010 General principles for design- Risk assessment and risk reduction
(BS) EN 13157:2004+A1:2009 Cranes - Safety - Hand powered cranes
(BS) EN 818-7:2002+A1:2008 Short link chain for lifting purposes - Safety
- Part 7: Fine tolerance hoist chain, Grade T (Types T, DAT and DT)
(BS) ISO 13854:2019 Safety of machinery- Minimum gaps to avoid crushing of parts of the human body

Transposed (either complete or in extracts) national standards and technical specifications in particular:

DIN 685-5:2020-08 Round steel link chains, components and accessories - Part 5: Utilization of chain slings and hoist chains

Quality Assurance:

(BS) EN ISO 9001:2015 Quality management systems - Requirements (ISO 9001:2015)

Authorised representative for technical data (within EU):

COLUMBUS McKINNON Industrial Products GmbH
Yale-Allee 30; D-42329 Wuppertal

Authorised representative for technical data (within UK):

Columbus McKinnon Corporation Limited
Knutsford Way, Sealand Industrial Estate, Chester CH1 4NZ United Kingdom

Signature:
Identification of the signee:
Date:



Andreas Oelmann - Quality Manager
21.03.2025



Declaration of Conformity
in accordance with Machinery Directive 2006/42/EC (Appendix II A)

UK Declaration of Conformity
in accordance with Supply of Machinery (Safety) Regulations 2008
also valid as Certificate of compliance in accordance to (BS) EN 10204 - 2.1

We, hereby declare, that the design, construction and commercialized execution of the below mentioned machine complies with the essential health and safety requirements of the EC Machinery Directive and the UK Supply of Machinery (Safety) Regulations. The validity of this declaration will cease in case of any modification or supplement not being agreed with us previously. Furthermore, validity of this declaration will cease in cases where the machine is operated incorrectly and not in accordance with the operating instructions and/or not inspected regularly and maintained in accordance with the manufacturers instructions.

Sales order number:	1063166
Certificate number:	81530088S24102568
Product:	YALE-VSIII
Product description:	VSIII 0,25/1
Model:	VSIII 0,25/1
Serial number:	S24102568
Load chain size:	4 x 12mm
Chain grade:	T
W.L.L.:	250kg
Proof load factor:	150%
Height of lift:	3.0m
Relevant EC Directives:	EC Machinery Directive 2006/42/EC
Relevant UK Directives:	Supply of Machinery (Safety) Regulations 2008

Transposed harmonized standards in particular:

(BS) EN ISO 12100:2010 General principles for design- Risk assessment and risk reduction
(BS) EN 13157:2004+A1:2009 Cranes - Safety - Hand powered cranes
(BS) EN 818-7:2002+A1:2008 Short link chain for lifting purposes - Safety
- Part 7: Fine tolerance hoist chain, Grade T (Types T, DAT and DT)
(BS) ISO 13854:2019 Safety of machinery- Minimum gaps to avoid crushing of parts of the human body

Transposed (either complete or in extracts) national standards and technical specifications in particular:

DIN 685-5:2020-08 Round steel link chains, components and accessories - Part 5: Utilization of chain slings and hoist chains

Quality Assurance:

(BS) EN ISO 9001:2015 Quality management systems - Requirements (ISO 9001:2015)

Authorised representative for technical data (within EU):

COLUMBUS MCKINNON Industrial Products GmbH
Yale-Allee 30; D-42329 Wuppertal

Authorised representative for technical data (within UK):

Columbus McKinnon Corporation Limited
Knutsford Way, Sealand Industrial Estate, Chester CH1 4NZ United Kingdom

Signature:
Identification of the signee:
Date:



Andreas Oelmann - Quality Manager
21.03.2025



Declaration of Conformity
in accordance with Machinery Directive 2006/42/EC (Appendix II A)

UK Declaration of Conformity
in accordance with Supply of Machinery (Safety) Regulations 2008
also valid as Certificate of compliance in accordance to (BS) EN 10204 - 2.1

We, hereby declare, that the design, construction and commercialized execution of the below mentioned machine complies with the essential health and safety requirements of the EC Machinery Directive and the UK Supply of Machinery (Safety) Regulations. The validity of this declaration will cease in case of any modification or supplement not being agreed with us previously. Furthermore, validity of this declaration will cease in cases where the machine is operated incorrectly and not in accordance with the operating instructions and/or not inspected regularly and maintained in accordance with the manufacturers instructions.

Sales order number:	1063166
Certificate number:	81530088S24102571
Product:	YALE-VSIII
Product description:	VSIII 0,25/1
Model:	VSIII 0,25/1
Serial number:	S24102571
Load chain size:	4 x 12mm
Chain grade:	T
W.L.L.:	250kg
Proof load factor:	150%
Height of lift:	3.0m
Relevant EC Directives:	EC Machinery Directive 2006/42/EC
Relevant UK Directives:	Supply of Machinery (Safety) Regulations 2008
Transposed harmonized standards in particular:	(BS) EN ISO 12100:2010 General principles for design- Risk assessment and risk reduction (BS) EN 13157:2004+A1:2009 Cranes - Safety - Hand powered cranes (BS) EN 818-7:2002+A1:2008 Short link chain for lifting purposes - Safety - Part 7: Fine tolerance hoist chain, Grade T (Types T, DAT and DT) (BS) ISO 13854:2019 Safety of machinery- Minimum gaps to avoid crushing of parts of the human body
Transposed (either complete or in extracts) national standards and technical specifications in particular:	DIN 685-5:2020-08 Round steel link chains, components and accessories - Part 5: Utilization of chain slings and hoist chains
Quality Assurance:	(BS) EN ISO 9001:2015 Quality management systems - Requirements (ISO 9001:2015)
Authorised representative for technical data (within EU):	COLUMBUS MCKINNON Industrial Products GmbH Yale-Allee 30; D-42329 Wuppertal
Authorised representative for technical data (within UK):	Columbus McKinnon Corporation Limited Knutsford Way, Sealand Industrial Estate, Chester CH1 4NZ United Kingdom

Signature:
Identification of the signee:
Date:



Andreas Oelmann - Quality Manager
21.03.2025



Declaration of Conformity
in accordance with Machinery Directive 2006/42/EC (Appendix II A)

UK Declaration of Conformity
in accordance with Supply of Machinery (Safety) Regulations 2008
also valid as Certificate of compliance in accordance to (BS) EN 10204 - 2.1

We, hereby declare, that the design, construction and commercialized execution of the below mentioned machine complies with the essential health and safety requirements of the EC Machinery Directive and the UK Supply of Machinery (Safety) Regulations. The validity of this declaration will cease in case of any modification or supplement not being agreed with us previously. Furthermore, validity of this declaration will cease in cases where the machine is operated incorrectly and not in accordance with the operating instructions and/or not inspected regularly and maintained in accordance with the manufacturers instructions.

Sales order number:	1063166
Certificate number:	81530088S24102584
Product:	YALE-VSIII
Product description:	VSIII 0,25/1
Model:	VSIII 0,25/1
Serial number:	S24102584
Load chain size:	4 x 12mm
Chain grade:	T
W.L.L.:	250kg
Proof load factor:	150%
Height of lift:	3.0m
Relevant EC Directives:	EC Machinery Directive 2006/42/EC
Relevant UK Directives:	Supply of Machinery (Safety) Regulations 2008
Transposed harmonized standards in particular:	(BS) EN ISO 12100:2010 General principles for design- Risk assessment and risk reduction (BS) EN 13157:2004+A1:2009 Cranes - Safety - Hand powered cranes (BS) EN 818-7:2002+A1:2008 Short link chain for lifting purposes - Safety - Part 7: Fine tolerance hoist chain, Grade T (Types T, DAT and DT) (BS) ISO 13854:2019 Safety of machinery- Minimum gaps to avoid crushing of parts of the human body
Transposed (either complete or in extracts) national standards and technical specifications in particular:	DIN 685-5:2020-08 Round steel link chains, components and accessories - Part 5: Utilization of chain slings and hoist chains
Quality Assurance:	(BS) EN ISO 9001:2015 Quality management systems - Requirements (ISO 9001:2015)
Authorised representative for technical data (within EU):	COLUMBUS MCKINNON Industrial Products GmbH Yale-Allee 30; D-42329 Wuppertal
Authorised representative for technical data (within UK):	Columbus McKinnon Corporation Limited Knutsford Way, Sealand Industrial Estate, Chester CH1 4NZ United Kingdom

Signature:
Identification of the signee:
Date:



Andreas Oelmann - Quality Manager
21.03.2025



Declaration of Conformity
in accordance with Machinery Directive 2006/42/EC (Appendix II A)

UK Declaration of Conformity
in accordance with Supply of Machinery (Safety) Regulations 2008
also valid as Certificate of compliance in accordance to (BS) EN 10204 - 2.1

We, hereby declare, that the design, construction and commercialized execution of the below mentioned machine complies with the essential health and safety requirements of the EC Machinery Directive and the UK Supply of Machinery (Safety) Regulations. The validity of this declaration will cease in case of any modification or supplement not being agreed with us previously. Furthermore, validity of this declaration will cease in cases where the machine is operated incorrectly and not in accordance with the operating instructions and/or not inspected regularly and maintained in accordance with the manufacturers instructions.

Sales order number:	1063166
Certificate number:	81530088S24102587
Product:	YALE-VSIII
Product description:	VSIII 0,25/1
Model:	VSIII 0,25/1
Serial number:	S24102587
Load chain size:	4 x 12mm
Chain grade:	T
W.L.L.:	250kg
Proof load factor:	150%
Height of lift:	3.0m
Relevant EC Directives:	EC Machinery Directive 2006/42/EC
Relevant UK Directives:	Supply of Machinery (Safety) Regulations 2008
Transposed harmonized standards in particular:	(BS) EN ISO 12100:2010 General principles for design- Risk assessment and risk reduction (BS) EN 13157:2004+A1:2009 Cranes - Safety - Hand powered cranes (BS) EN 818-7:2002+A1:2008 Short link chain for lifting purposes - Safety - Part 7: Fine tolerance hoist chain, Grade T (Types T, DAT and DT) (BS) ISO 13854:2019 Safety of machinery- Minimum gaps to avoid crushing of parts of the human body
Transposed (either complete or in extracts) national standards and technical specifications in particular:	DIN 685-5:2020-08 Round steel link chains, components and accessories - Part 5: Utilization of chain slings and hoist chains
Quality Assurance:	(BS) EN ISO 9001:2015 Quality management systems - Requirements (ISO 9001:2015)
Authorised representative for technical data (within EU):	COLUMBUS MCKINNON Industrial Products GmbH Yale-Allee 30; D-42329 Wuppertal
Authorised representative for technical data (within UK):	Columbus McKinnon Corporation Limited Knutsford Way, Sealand Industrial Estate, Chester CH1 4NZ United Kingdom

Signature:
Identification of the signee:
Date:



Andreas Oelmann - Quality Manager
21.03.2025

